

Material Safety Data Sheet

acc. to OSHA and ANSI

1 Identification of substance:

- **Product details:**
- **Trade name:** Titanium carbide
- **Stock number:** 5217KE
- **Manufacturer/Supplier:**
Nanostructured & Amorphous Materials, Inc.
16840 Clay Road, Suite #113
Houston, TX 77084, USA

2 Composition/Data on components:

- **Chemical characterization:**
Description: (CAS#)
Titanium carbide (CAS# 12070-08-5), 99%
- **Identification number(s):**
- **EINECS Number:** 235-120-4

3 Hazards identification

- **Hazard description:** F Highly flammable
- **Information pertaining to particular dangers for man and environment**
R 11 Highly flammable.

4 First aid measures

- **After inhalation**
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
- **After skin contact**
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
- **After eye contact**
Rinse opened eye for several minutes under running water. Then consult

a doctor.

- **After swallowing** Seek immediate medical advice.

5 Fire fighting measures

- **Suitable extinguishing agents**
Special powder for metal fires. Do not use water.
- **For safety reasons unsuitable extinguishing agents** Water
- **Protective equipment:**
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

- **Person-related safety precautions:**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
- **Measures for environmental protection:**
Do not allow material to be released to the environment without proper governmental permits.
- **Measures for cleaning/collecting:**
Ensure adequate ventilation.
Keep away from ignition sources.
- **Additional information:**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Information for safe handling:**
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
- **Information about protection against explosions and fires:**
Keep ignition sources away.
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
- **Information about storage in one common storage facility:**

Do not store together with oxidizing and acidic materials.
Do not store together with alkalies (caustic solutions).

- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:**
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Components with limit values that require monitoring at the workplace:
Not required.
- **Additional information:** No data
- **Personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
- **Breathing equipment:**
Use suitable respirator when high concentrations are present.
- **Protection of hands:** Impervious gloves
- **Eye protection:**
Safety glasses
Full face protection
- **Body protection:** Protective work clothing.

9 Physical and chemical properties:

- **Form:** Powder
- **Color:** Black
- **Odor:** Not determined

- | | <u>Value/Range</u> | <u>Unit</u> | <u>Method</u> |
|--|--------------------|-------------|---------------|
|--|--------------------|-------------|---------------|
- **Change in condition**
- **Melting point/Melting range:** 3050-3230 °C

- **Boiling point/Boiling range:** 4800 °C
- **Sublimation temperature / start:** Not determined
- **Flash point:** Not applicable
- **Flammability (solid, gaseous)** Highly flammable.
- **Ignition temperature:** Not determined
- **Decomposition temperature:** Not determined
- **Explosion limits:**
- **Lower:** Not determined
- **Upper:** Not determined
- **Vapor pressure:** Not determined
- **Density:** at 20 °C 4.93 g/cm³
- **Solubility in / Miscibility with**
- **Water:** Insoluble

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**
Decomposition will not occur if used and stored according to specifications.
- **Materials to be avoided:**
Acids
Bases
Oxidizing agents
- **Dangerous reactions**
Contact with acids releases flammable gases
Contact with alkali releases flammable gases
- **Dangerous products of decomposition:** Metal oxide fume

11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.

- **UN-Number:** 3178
- **Description of goods:** Flammable solid, inorganic, n.o.s., titanium carbide
- **Maritime transport IMDG:**
- **IMDG Class:** 4.1
- **UN Number:** 3178
- **Packaging group:** III
- **Proper shipping name:** Flammable solid, inorganic, n.o.s., titanium carbide
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** 4.1
- **UN/ID Number:** 3178
- **Packaging group:** III
- **Proper shipping name:** Flammable solid, inorganic, n.o.s., titanium carbide

15 Regulations

- **Product related hazard informations:**
- **Hazard symbols:** F Highly flammable
- **Risk phrases:** 11 Highly flammable.
- **National regulations**
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory.
- **Information about limitation of use:**
For use only by technically qualified individuals.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

